

## 【国際論文(2012年～)】

- 1 Ohyama B, Nishifuji K, Chan PT, Kawaguchi A, Yamashita T, Ishii N, Hamada T, Dainichi T, Koga H, Tsuruta D, Amagai M, Hashimoto T  
Epitope spreading is rarely found in pemphigus vulgaris by large-scale longitudinal study using desmoglein 2-based swapped molecules  
*J Invest Dermatol*, 132 (4): 1158–68, 2012.04.
- 2 Saleh MA, Ishii K, Yamagami J, Shirakata Y, Hashimoto K, Amagai M  
Pathogenic anti-desmoglein 3 mAbs cloned from a paraneoplastic pemphigus patient by phage display  
*J Invest Dermatol*, 132 (4): 1141–8, 2012.04.
- 3 Ohyama M, Kobayashi T, Sasaki T, Shimizu A, Amagai M  
Restoration of the intrinsic properties of human dermal papilla in vitro.  
*J Cell Sci*, 125 (Pt 17): 4114–4125, 2012.05.
- 4 Sandilands A, Brown SJ, Goh CS, Pohler E, Wilson N J, Campbell LE, Miyamoto K, Kubo A, Irvine AD, Thawer-Esmail F, Munro CS, McLean WH, Kudoh J, Amagai M, Matsui T  
Mutations in the SASPase gene (ASPRV1) are not associated with atopic eczema or clinically dry skin  
*J Invest Dermatol*, 132 (5): 1507–1510, 2012.05.
- 5 Yoshizawa A, Nagai S, Baba Y, Yamada T, Matsui M, Tanaka H, Miyoshi S, Amagai M, Yoshikawa T, Fukuda K, Ogawa S, Koyasu S  
Autoimmunity against M(2)muscarinic acetylcholine receptor induces myocarditis and leads to a dilated cardiomyopathy-like phenotype  
*Eur J Immunol*, 42 (5): 1152–1163, 2012.05.
- 6 Hirahara K, Ghoreschi K, Yang XP, Takahashi H, Laurence A, Vahedi G, Sciume G, Hall AO, Dupont CD, Francisco LM, Chen Q, Tanaka M, Kanno Y, Sun HW, Sharpe AH, Hunter CA, O’Shea JJ  
Interleukin-27 priming of T cells controls IL-17 production in trans via induction of the ligand PD-L1  
*Immunity*, 36 (6): 1017–1030, 2012.06.
- 7 Kawasaki H, Nagao K, Kubo A, Hata T, Shimizu A, Mizuno H, Yamada T, Amagai M  
Altered stratum corneum barrier and enhanced percutaneous immune responses in filaggrin-null mice  
*J Allergy Clin Immunol*, 129 (6): 1538–1546, 2012.06.
- 8 Imaizumi Y, Okada Y, Akamatsu W, Koike M, Hayakawa H, Nihira T, Kobayashi T, Ohyama M, Sato S, Takanashi M, Funayama M, Hirayama A, Soga T, Hishiki T, Suematsu M, Yagi T, Ito D, Kosakai A, Suzuki N, Mizuno Y, Mizushima N, Amagai M, Uchiyama Y, Mochizuki H, Hattori N, Okano H  
Mitochondrial dysfunction and  $\alpha$ -synuclein accumulation in PARK2 iPSC-derived neurons and postmortem brain

- 9 Takahashi H, Kanno T, Nakayamada S, Hirahara K, Sciume G, Muljo SA, Kuchen S, Casellas R, Wei L, Kanno Y, O'Shea JJ  
TGF-beta and retinoic acid induce the microRNA miR-10a, which targets Bcl-6 and constrains the plasticity of helper T cells  
*Nat Immunol*, 13 (6): 587–595, 2012.06.
- 10 Argenziano G, Cerroni L, Zalaudek I, Staibano S, Hofmann-Wellenhof R, Arpaia N, Bakos R M, Balme B, Bandic J, Bandelloni R, Brunasso AM, Cabo H, Calcara DA, Carlos-Ortega B, Carvalho AC, Casas G, Dong H, Ferrara G, Filotico R, Gomez G, Halpern A, Ilardi G, Ishiko A, Kandiloglu G, Kawasaki H, Kobayashi K, Koga H, Kovalyshyn I, Langford D, Liu X, Marghoob AA, Mascolo M, Massone C, Mazzoni L, Menzies S, Minagawa A, Nugnes L, Ozdemir F, Pellacani G, Seidenari S, Siamas K, Stanganelli I, Stoecker WV, Tanaka M, Thomas L, Tschandl P, Kittler H  
Accuracy in melanoma detection: a 10-year multicenter survey  
*J Am Acad Dermatol*, 67 (1): 54–9, 2012.07.
- 11 Nagao K, Kobayashi T, Moro K, Ohyama M, Adachi T, Kitashima DY, Ueha S, Horiuchi K, Tanizaki H, Kabashima K, Kubo A, Cho YH, Clausen BE, Matsushima K, Suematsu M, Furtado GC, Lira SA, Farber JM, Udey MC, Amagai M  
Stress-induced production of chemokines by hair follicles regulates the trafficking of dendritic cells in skin  
*Nat Immunol*, 13 (8): 744–752, 2012.08.
- 12 Nagao K, Kobayashi T, Ohyama M, Akiyama H, Horiuchi K, Amagai M  
Brief report: Requirement of TACE/ADAM17 for hair follicle bugle niche establishment.  
*STEM CELLS*, 30 (8): 1781–1785, 2012.08.
- 13 Tanese K, Grimm EA, Ekmekcioglu S  
The role of melanoma tumor-derived nitric oxide in the tumor inflammatory microenvironment: its impact on the chemokine expression profile, including suppression of CXCL10  
*Int J Cancer*, 131 (4): 891–901, 2012.08.
- 14 Tsuruta D, Nishikawa T, Yamagami J, Hashimoto T  
Unilateral bullous pemphigoid without erythema and eosinophil infiltration in a hemiplegic patient  
*J Dermatol*, 39 (9): 787–789, 2012.09.
- 15 Di Zenzo G, Di Lullo G, Corti D, Calabresi V, Sinistro A, Vanzetta F, Didona B, Cianchini G, Hertl M, Eming R, Amagai M, Ohyama B, Hashimoto T, Sloostra J, Sallusto F, Zambruno G, Lanzavecchia A  
Pemphigus autoantibodies generated through somatic mutations target the desmoglein-3 cis-interface  
*J Clin Invest*, 122 (10): 3781–3790, 2012.10.

- 16 Fujimoto A, Farooq M, Fujikawa H, Inoue A, Ohyama M, Ehama R, Nakanishi J, Hagihara M, Iwabuchi T, Aoki J, Ito M, Shimomura Y  
A missense mutation within the helix initiation motif of the keratin K71 gene underlies autosomal dominant woolly hair/hypotrichosis  
*J Invest Dermatol*, 132 (10): 2342–9, 2012.10.
- 17 Fujio Y, Funakoshi T, Nakayama K, Amagai M, Ohyama M  
Rheumatoid neutrophilic dermatosis with tense blister formation: A case report and review of the literature  
*Australas J Dermatol*, 2012 (25): 1440–0960, 2012.10.
- 18 Sasaki T, Niizeki H, Shimizu A, Shiohama A, Hirakiyama A, Okuyama T, Seki A, Kabashima K, Otsuka A, Ishiko A, Tanese K, Miyakawa S, Sakabe J, Kuwahara M, Amagai M, Okano H, Suematsu M, Kudoh J  
Identification of mutations in the prostaglandin transporter gene SLCO2A1 and its phenotype–genotype correlation in Japanese patients with pachydermoperiostosis  
*J Dermatol Sci*, 68 (1): 36–44, 2012.10.
- 19 Shinoda M, Tanabe M, Nagao K, Kitago M, Fujisaki H, Odaira M, Kawachi S, Itano O, Obara H, Matsubara K, Shimojima N, Fuchimoto Y, Hoshino K, Amagai M, Kuroda T, Kitagawa Y  
Discontinuation of Living Donor Liver Transplantation due to Donor's Intraoperative Latex–Induced Anaphylactic Shock  
*International Surgery*, 97 (4): 356–359, 2012.10.
- 20 Hirota T, Takahashi A, Kubo M, Tsunoda T, Tomita K, Sakashita M, Yamada T, Fujieda S, Tanaka S, Doi S, Miyatake A, Enomoto T, Nishiyama C, Nakano N, Maeda K, Okumura K, Ogawa H, Ikeda S, Noguchi E, Sakamoto T, Hizawa N, Ebe K, Saeki H, Sasaki T, Ebihara T, Amagai M, Takeuchi S, Furue M, Nakamura Y, Tamari M  
Genome-wide association study identifies eight new susceptibility loci for atopic dermatitis in the Japanese population  
*Nat Genet*, 44 (11): 1222–6, 2012.11.
- 21 Vahedi G, Takahashi H, Nakayamada S, Sun HW, Sartorelli V, Kanno Y, O'Shea JJ  
STATs shape the active enhancer landscape of T cell populations  
*Cell*, 151 (5): 981–93, 2012.11.
- 22 Funakoshi T, Lunardon L, Ellebrecht CT, Nagler AR, O'Leary CE, Payne AS  
Enrichment of total serum IgG4 in patients with pemphigus  
*Br J Dermatol*, 167 (6): 1245–53, 2012.12.
- 23 Saito M, Stahley SN, Caughman CY, Mao X, Tucker DK, Payne AS, Amagai M, Kowalczyk A P  
Signaling dependent and independent mechanisms in pemphigus vulgaris blister formation  
*PLoS One*, 7 (12): e50696, 2012.12.

- 24 Sciume G, Hirahara K, Takahashi H, Laurence A, Villarino AV, Singleton KL, Spencer SP, Wilhelm C, Poholek AC, Vahedi G, Kanno Y, Belkaid Y, O'Shea JJ  
Distinct requirements for T-bet in gut innate lymphoid cells  
*J Exp Med*, 209 (13): 2331–2338, 2012.12.
- 25 Colmont CS, Benketah A, Reed SH, Hawk NV, Telford WG, Ohyama M, Udey MC, Yee CL, Vogel JC, Patel GK  
CD200-expressing human basal cell carcinoma cells initiate tumor growth  
*Proc Natl Acad Sci U S A*, 110 (4): 1434–1439, 2013.01.
- 26 Ise M, Yasuda H, Konohana I, Miura K, Tanaka M  
Malignant melanoma with hyperkeratosis mimicking pigmented wart.  
*Dermatol Pract Concept*, 3 (1): 37–39, 2013.01.
- 27 Kobayashi T, Enomoto K, Hsuan WY, Yoon JS, Okamura R, Ide K, Ohyama M, Nishiyama T, Iwasaki T, K. N  
Canine hair follicle keratinocytes enriched with bulge cells constitute epidermal structure in vitro in the 3D skin equivalent model: an implication for a regenerative therapy of canine epidermis.  
*Vet Dermatol*, 24 (1): 77–83.e19–20 2013.01.
- 28 Kudo-Watanuki S, Kurihara E, Yamamoto K, Mukai K, Chen KR  
Coexistence of insulin-derived amyloidosis and an overlying acanthosis nigricans-like lesion at the site of insulin injection.  
*Clin Exp Dermatol*, 38 (1): 25–29, 2013.01.
- 29 Nakahigashi K, Otsuka A, Doi H, Tanaka S, Okajima Y, Niizeki H, Hirakiyama A, Miyachi Y, Kabashima K  
Prostaglandin E2 increase in pachydermoperiostosis without 15-hydroprostaglandin dehydrogenase mutations.  
*Acta Derm Venereol*, 93 (1): 118–119, 2013.01.
- 30 Veraitch O, Ohyama M, Ymagami J, Amagai M  
Alopecia as a rare but distinct manifestation of pemphigus vulgaris.  
*J Eur Acad Dermatol Venereol*, 27 (1): 86–91 2013.01.
- 31 Fukuma M, Tanese K, Effendi K, Yamazaki K, Masugi Y, Suda M, Sakamoto M  
Leucine-rich repeat-containing G protein-coupled receptor 5 regulates epithelial cell phenotype and survival of hepatocellular carcinoma cells  
*Exp Cell Res*, 319 (3): 113–121, 2013.02.
- 32 Kanda S, Sasaki T, Shiohama A, Nishifuji K, Amagai M, Iwasaki T, Kudoh J  
Characterization of canine filaggrin: gene structure and protein expression in dog skin  
*Vet Dermatol*, 24 (1): 25–31 e7, 2013.02.

- 33 Bektas M, Jolly PS, Berkowitz P, Amagai M, Rubenstein DS  
A pathophysiologic role for epidermal growth factor receptor in pemphigus acantholysis  
*J Biol Chem*, 288 (13): 9447–9456, 2013.03.
- 34 Iwashita N, Sadahira C, Yuza Y, Yoshihashi H, Kondou M  
Vesiculopustular eruption in neonate with trisomy 21 and transient myeloproliferative disorder  
*J Pediatr*, 162 (3): 643–644, 2013.03.
- 35 Yokogawa N, Tanikawa A, Amagai M, Kato Y, Momose Y, Arai S, Eto H, Ikeda T, Furukawa F  
Response to hydroxychloroquine in Japanese patients with lupus-related skin disease using the cutaneous lupus erythematosus disease area and severity index (CLASI)  
*Mod Rheumatol*, 23 (2): 318–322, 2013.03.

#### 【国際総説(2012年～)】

- 1 Ohyama M, Kobayashi T  
Isolation and characterization of stem cell-enriched human and canine hair follicle keratinocytes  
*Methods Mol Biol*, 879: 389–401 2012.
- 2 Nakayamada S, Takahashi H, Kanno Y, O'Shea JJ  
Helper T cell diversity and plasticity  
*Curr Opin Immunol*, 24 (3): 297–302, 2012.06.
- 3 Ohata C, Ishii N, Hamada T, Shimomura Y, Niizeki H, Dainichi T, Furumura M, Tsuruta D, Hashimoto T  
Distinct characteristics in Japanese dermatitis herpetiformis: a review of all 91 Japanese patients over the last 35 years  
*Clin Dev Immunol*, 2012 (562168): 562168, 2012.06.
- 4 Saito M, Tucker D K, Kohlhorst D, Niessen CM, Kowalczyk AP  
Classical and desmosomal cadherins at a glance  
*J Cell Sci*, 125 (Pt 11): 2547–2552, 2012.06.
- 5 Chen KR  
Skin involvement in ANCA-associated vasculitis.  
*Clin Exp Nephrol*: 2012. 11.28. [Epub ahead of print].
- 6 Kubo A, Nagao K, Amagai M  
3D visualization of epidermal Langerhans cells  
*Methods Mol Biol*, 961: 119–125, 2013.07